

#### **ESnet Activities & Plans**

Michael O'Connor moc@es.net Network Engineering Energy Sciences Network Lawrence Berkeley National Lab

LHCOPN-LHCONE Meeting

Taipei Taiwan

March 13, 2016






#### **ESnet vision:**


#### Scientific progress will be **completely unconstrained** by the physical location of instruments, people, computational resources, or data.



#### **DOE's Energy Sciences Network (ESnet):**




# NRENs share fate. No research network can succeed in isolation.




# 80% of ESnet traffic originates or terminates outside the DOE complex.

# The most important thing to know about NRENs: they are not ISPs.




# They are instruments for discovery designed to overcome the constraints of geography.




Offering unique capabilities – and optimized for data acquisition, data placement, data sharing, data mobility.

#### What does success look like?






#### **Planning for growth**




#### **Design Pattern #1: Protect your Elephant Flows**








ESnet










#### **General Internet**

#### Elephant flows require almost *lossless* networks.




#### Throughput vs. Increasing Latency with .0046% Packet Loss

See Eli Dart, Lauren Rotman, Brian Tierney, Mary Hester, and Jason Zurawski. The Science DMZ: A Network Design Pattern for Data-Intensive Science. In *Proceedings of the IEEE/ACM Annual SuperComputing Conference (SC13)*, Denver CO, 2013.

#### Design Pattern #2: Unclog your data taps



#### **Problem and Solution explained illustratively**



Big-Data assets **not optimized** for **highbandwidth access** because of **convoluted campus network and security design** 



Science DMZ is a **deliberate**, **well-designed architecture** to simplify and **effectively onramp 'data-intensive' science** to a capable WAN



Inder Monga (imonga@es.net)

#### **Data Set Mobility Timeframes - Theoretical**

Data set size				
10PB	1,333.33 Tbps	266.67 Tbps	66.67 Tbps	22.22 Tbps
1PB	133.33 Tbps	26.67 Tbps	6.67 Tbps	2.22 Tbps
100TB	13.33 Tbps	2.67 Tbps	666.67 Gbps	222.22 Gbps
100Gbps	1.33 Tbps	266.67 Gbps	66.67 Gbps	22.22 Gbps
1TB	133.33 Gbps	26.67 Gbps	6.67 Gbps	2.22 Gbps
100GB 100Gbps	13.33 Gbps	2.67 Gbps	666.67 Mbps	222.22 Mbps
10GB < 10Gbps	1.33 Gbps	266.67 Mbps	66.67 Mbps	22.22 Mbps
1GB				
IGD	133.33 Mbps	26.67 Mbps	6.67 Mbps	2.22 Mbps
100MB < 100Mbps		26.67 Mbps 2.67 Mbps	6.67 Mbps 0.67 Mbps	2.22 Mbps 0.22 Mbps

This table available at:

http://fasterdata.es.net/fasterdata-home/requirements-and-expectations/



#### The Science DMZ Design Pattern




Data Transfer NodeNetworkScience DMZ Performance perfSONAR

- High performance Architecture Dedicated network sting &
- Configured specifically for data transfer
- Proper tools

- location for high-speed data resources
- Appropriate security
- Easy to deploy no need to redesign the whole network
- Enables fault isolation Verify correct operation Widely deployed in ESnet and other networks, as well as sites and facilities




#### **Science DMZ Design Pattern (Abstract)**






#### Local And Wide Area Data Flows



#### **Dedicated Systems – Data Transfer Node**

- Set up *specifically* for high-performance data movement
  - System internals (BIOS, firmware, interrupts, etc.)
  - Network stack
  - Storage (global filesystem, Fibrechannel, local RAID, etc.)
  - High performance tools
  - No extraneous software
- Limitation of scope and function is powerful
  - No conflicts with configuration for other tasks
  - Small application set makes cybersecurity easier




I LIKE HOW WE'VE HAD THE INTERNET FOR DECADES, YET "SENDING FILES" IS SOMETHING EARLY ADOPTERS ARE STILL FIGURING OUT HOW TO DO.



#### **Example of perfSONAR monitoring**

#### perfSONAR BWCTL Graph



Improving things, when you don't know what you are doing, is a random walk. Sharing and educating the local community is important



### Emerging global consensus around Science DMZ architecture.



>120 universities in the US have deployed this ESnet architecture.

NSF has invested >>\$60M to accelerate adoption.

Australian, Canadian universities following suit.

http://fasterdata.es.net/science-dmz/





#### **ESnet 6 Planning Process**

2018 – 100G ESnet 5 architecture will exceed 6 years in production

ESnet has begun the planning process for ESnet 6

Architectural Choices


- SDN
  - Hybrid SDN/Traditional Routing
  - Full Control and Data Plane separation
- Packet Optical Convergence
  - Packet services in Optical Transport Networks
  - OTN Transceivers in classical routers
- Business as Usual
  - Disruptive price/performance advances?

ESnet 6 investigation should align with Next Gen service development



#### **ESnet6 Architecture Investigation**

## The Innovation Funnel









- AML Argonne National Laboratory (Argonna, IL)
- BML Devoltance: National Laboratory (Uptor, NP)
  PMLL Parent National Accelerator Laboratory (Balavia, 8.)
- JLAB Thomas Jefferson National Accelerator Facility (Reviport Nervis, VA
- Princeton Plasma Physics Laboratory (Princeton, NJ) PPPL BLAC SILAC National Accelerator Laboratory (Merilo Park, CA)



### The AWS Cloud Changing the rules of the Network Game

The Amazon Web Service cloud bends a number or longstanding Internet Architecture rules.

- AWS ASN 16509 is not contiguous as Autonomous Systems are intended to be. This "Cloud" is a set of regional Data Centers.
- BGP with AWS establishes connectivity with only the geographically close region(s), **NOT** the entire AS. Establishing BGP with AWS, ASN 16509 in one region doesn't establish connectivity to other regions, continents etc.
- Since AWS does not advertise remote region routes, routing to those remote regions will NOT use your established BGP with them, choosing the general public Internet instead.
- Similarly, the reverse path will ignore AS Path rules and prefer commodity public Internet over the direct peering with AWS.

This is a challenge for globally collaborative computing, but it's not necessarily a bad thing



#### Amazon is not in the "Networking" business

- Amazon Web Services (AWS) offers an extensive portfolio of computing resources, but they are not in the "networking" business.
- AWS recharges customers for egress traffic out of the cloud. Some researchers have described these fees as "holding their data hostage".
- AWS must pay for upstream transit to the Internet and so they pass this on to their customers.
- Their inter-region long haul circuits are used for internal control and management rather than customer transport.
- AWS offers a service that will migrate data between regions, but this is strictly controlled and scheduled by AWS, not customers.
- Since AWS peers for free with R&E networks, they offer customers of these networks an "Egress Traffic Fee Waiver".

Research & Education Networks have an opportunity to scale "Cloud" beyond the local region for their customers.



#### **Routing Exercise**

How do European NRENs connect to AWS

#### **Prefixes from several AWS regions**

- us-east-1 50.19.0.0/16
- us-west-1 50.18.0.0/16
- us-west-2 50.112.0.0/16
- eu-central-1 52.28.0.0/16
- eu-west-1 52.18.0.0/15

#### **European NREN Looking Glasses**

- GEANT https://tools.geant.net/portal/links/lg/
- DFN Germany https://www.noc.dfn.de/lg/
- GARR Italy <u>https://gins.garr.it/LG/</u>
- RENATER France https://portail.noc.renater.fr/lookingglass/v2/lg\_index.pl



Try Looking up these BGP routes using a couple of these European NREN looking glass services

- Check the AS path to the US regions
- Check the AS path to the European regions

What is interesting about these paths?

### The "On-Ramp" to R&E Networking Virtual Private Cloud

The public cloud is being used privately, however the private cloud enhances data sharing over R&E networks.

- Currently, cloud service usage within the ESnet customer-base, employs a simple "Single Consumer Model", where each site purchases services that they consume directly.
- Their connection is a standard routed path through their upstream provider ESnet, no virtual circuits or additional routing protocol setup, simple.
- As global collaborations shift computing resources to the "Cloud", this simple single consumer model will give way to one that better supports data sharing, the "Collaborative Cloud".
- VPC enables a customer to control the routing of their data by providing a means of mapping customer IP allocations into the cloud.
- The principal assumption: When geographically dispersed collaborations begin to transit large datasets directly out of the cloud, VPC services will be essential in order to control routing between those collaborating institutions.

Global collaborations need to control transport of large data sets



### **Proposal: Collaborative Cloud Services (CCS)**

**SDN site router** - A virtual router that is provisioned to BGP peer with the cloud provider using the customer ASN.

- Multiple virtual routers per hardware device.
- IPsec will connect the SDN Site router to the cloud in order to support VPC.
- Collaborator transit paths take the best path to the cloud and back.


The potential:

- Become an important application for SDN and a new ESnet service.
- Transform the ESnet site connection architecture by alleviating upgrade pressure on local loop circuits.



### **Proposed: Collaborative Cloud Services (CCS)**

Standard VPC Third Party Data Path




Standard VPC implementation controls routing as an **"On-Ramp"** for R&E Network Transport.



#### Virtual "Site Router" (VRTR) Service At the edge of the cloud

Virtual Site Router at AWS Exchange Point




Virtual "Site Router" improves path efficiency and takes pressure off of the site local-loop.



#### **CCS Protocol Description**

SDN Site Router at AWS Exchange Point

"SDN In Line"



The CCS service would reside on ESnet HW, but serve multiple customer site router instance in software.



#### In conclusion:

- Global science networks are not ISPs rather, extensions of science discovery instruments.
- Design patterns, architectures, workflows and challenges from science are now crossing over to domains.
- Packet Optical convergence, SDN and Cloud all present challenges and opportunities in network design.
- Cloud computing services offer a compelling business case for research institutions along with challenges and opportunities for NRENs.





### Thank You

Michael O'Connor moc@es.net Network Engineering Energy Sciences Network Lawrence Berkeley National Lab

LHCOPN-LHCONE Meeting Taipei Taiwan March 13, 2016



