

ATCF Status Report

Contents

- Introduction
- 1st ATCF
- 2nd ATCF
- Plan

ASIA TIER CENTER FORUM

22-24 September 2015, KISTI, Daejeon, Republic of Korea




Introduction




From Latchezar Betev's 1st ATCF wrap-up in Sep 2015

Motivation

- In the construction of Tier-1 at KISTI, we realized that traffic of Asian sites for ALICE experiment is mostly directing to Europe or US
- Latency test to Asian sites confirmed that the connectivity within Asian sites is worse than Europe and US
 - Small T2 relies on TEIN, Japan sites connect to SINET, KISTI runs KREONet
 - However TEIN, SINET and KREONet were not peered
 - APAN-JP provides connectivity between JP sites and a few T2 in Asia
- "Normalization of abnormality"







From Latchezar Betev's 1st ATCF wrap-up in Sep 2015

Motivation

- In the construction of Tier-1 at KISTI, we realized that traffic of Asian sites for ALICE experiment is mostly directing to Europe or US
- Latency test to Asian sites confirmed that the connectivity within Asian sites is worse than Europe and US
 - Small T2 relies on TEIN, Japan sites connect to SINET, KISTI runs KREONet
 - However TEIN, SINET and KREONet were not peered
 - APAN-JP provides connectivity between JP sites and a few T2 in Asia
- "Normalization of abnormality"





Goal of the forum

Short-term

To discuss on the possible solutions for the improvement of connectivity among Asian Tier sites
and their domestic network environment, and to monitor periodically the status of the established
network environment

Long-term

 To provide a place where Asian Tier sites can share and discuss not only the network issues but also any other potential issues, if any, so that we can collaborate to resolve them

Target

 Mostly Asian Tier sites however, open to every interested parties, in particular, distributed computing coordinations of LHC experiments and network experts

Asia Tier Center Forum




1st ATCF




Asian Site Reports


- JP, KR, IN sites well connected to EU and US
- Some T2s in bad situation
- And no detailed information about their networks





Backbone Reports (Physical Connections)

10 T2 sites connected with TEIN











Useful Information





Current LHCONE Status



William Johnston, ESnet

LHCONE Site Architecture Examples





William Johnston, ESnet

LHCONE Site Configuration


Outline


- Introduction
- ESnet LHCONE Traffic Volumes
- LHCONE BGP Reachability
- Customer Edge Routing Symmetry
- Site Connection Guidelines
- Lessons Learned From Early Adopters
- BNL VRF & Policy Routing Example
- Alternative Architectures for Destination Routing
- DTNs in the Science Enclave
- SDN Based Policy Routing Engine
- LHCONE BGP Prefix Filtering Conventions
- Cross Domain Troubleshooting
- PerfSONAR Measurement in LHCONE
- New Site Connection Data


Michael O'Connor, ESnet/BNL

Thanks to contribution from CERN and ESnet

Edoardo Martelli, CERN







Proposed Actions

- Agree on the architecture
- Agree on the policies (transit)
- Agree on shared resources
- Define national and continental VRFs
- Interconnect
- Enjoy

And...

- Intensive discussion focusing on how to improve the network connectivity in Asia with the given conditions:
 - Local network environment as well as the connection to backbone for each site
 - Status of backbones for LHCONE
 - LHCONE implementation in US
 - Implementation model of LHCONE in Asia
 - LHCONE guidance for site configuration














The Outcome




- Edoardo Martelli(CERN) brokered the following:
- TEIN, ASGC and KREONet have agreed to implement LHCONE VRFs in their networks, to interconnect the VRFs in HK, and to give each other transit over their peering links to GÉANT, Starlight and Seattle

From William Johnston's ATCF report at LHCONE/LHCOPN workshop in Oct 2015

The Edoardo Solution



In the context of LHCONE VRF rules and inter-VRF connections



A part of LHCONE Map (v3.4) William Johnston, ESNET


2nd ATCF




Site Status Update @ 2nd Forum

- T2s has managed to upgrade their networks
- Some sites the situation is still the same
- Some sites get worse than before

The Good




The Bad




 Wuhan site still inactivated because of network


The Weird





- Asymmetry inside Japan
- Lost direct connection between JP and KR
 - JGN-x KREONet

Backbone Status Update











- Significant upgrade conducted in TEIN & KREONet
 - Full 10G (TEIN)
 - 100G up to US (KREONet)
- GÉANT LHCONE Status
- Some details about UniNet (TH)

Status of LHCONE VRFs in Asia



Missing connections



Plan



Next

- Keep tracking the progress of LHCONE status in Asia through the forum
 - Communicating with TEIN and KREONet for their progress
- KISTI will hold ATCF again this year when the participation from NREN as well as Asian Tier sites can be maximized
 - This will be decided in April

More info

- Please feel free to visit: http://atcforum.org
 - All the materials presented at 1st & 2nd ATCF and minutes
 - Guidelines for LHCONE site configuration
 - · Presented by Michael O'Connor, ESnet/BNL
 - https://indico.cern.ch/event/395656/contributions/1833956/attachments/1158490/1666790/
 LHCONE-site-connections-esnet.pdf
- Please refer to my previous talks presented at ISGC2017 for KISTI-GSDC status as well as KISTI CA

Thank you

Questions?