

Lockers: An Innovative and Secure Solution for Managing Secrets

Viet Tran viet.tran@savba.sk

Institute of Informatics, Slovak Academy of Sciences
Slovakia

Security vs usability

Security improvements are often done at the cost of usability

- Long passwords with upper/lowercase letters, numeric and special characters
- 2FA
- Captcha
- ...

But in secret management service, we improve both security and usability without conflicts


First thought of secret management service

- Just deploy HashiCorp Vault and have it
 - It works
 - But we can improve it a lot
 - We can improve both security and usability

Quick overviews of existing features

High-availability setup

Three nodes, geographically distributed at IISAS (Slovakia), INFN (Italy) and IFCA (Spain)



Universal endpoint via Dynamic DNS

- Three endpoints, each can serve user requests:
 - <https://vault-iisas.services.fedcloud.eu:8200> (IISAS)
 - <https://vault-infn.services.fedcloud.eu:8200> (INFN)
 - <https://vault-ifca.services.fedcloud.eu:8200> (IFCA)

- How users know which service endpoint is healthy?

Universal endpoint via Dynamic DNS

- Three endpoints, each can serve user requests:
 - <https://vault-iisas.services.fedcloud.eu:8200> (IISAS)
 - <https://vault-infn.services.fedcloud.eu:8200> (INFN)
 - <https://vault-ifca.services.fedcloud.eu:8200> (IFCA)
- Main, universal endpoint <https://vault.services.fedcloud.eu:8200> is assigned to IFCA or INFN endpoint via Dynamic DNS
- **NEW:** new universal endpoint <https://secrets.egi.eu/>

Easy-to-use client

- Issue: Vault client is cumbersome (needs two steps for each operation + 3 additional settings)

```
$ export VAULT_ADDR=https://vault.services.fedcloud.eu:8200
```

```
$ export ACCESS_TOKEN="ADD_YOUR_ACCESS_TOKEN_HERE"
```

```
$ export VAULT_HOME=/secrets/YOUR\_CHECKIN\_ID@egi.eu/
```

```
$ vault write auth/jwt/login jwt=$ACCESS_TOKEN
```

```
Key                               Value
```

```
---                               -----
```

```
token                             s.XXXXXXXXXXXXXXXXXXXXXXXXXXX
```

```
$ export VAULT_TOKEN="s.XXXXXXXXXXXXXXXXXXX"
```

```
$ vault list $VAULT_HOME
```


Easy-to-use client

- Authentication via access tokens (integrated with oidc-agent and mytoken)
- Working out of the box, no setup
- Simple, easy-to-use commands

```
$ fedcloud secret put my_app_secrets mysql_password=123456 admin_password=abcdef
```

```
$ fedcloud secret list  
my_app_secrets
```

```
$ fedcloud secret get my_app_secrets
```

key	value
admin_password	abcdef
mysql_password	123456

Client-side encryption

- Users may need to store very sensitive secrets that absolutely nobody else can read them, by any means
 - Access tokens may be compromised
 - 2FA authentications are not suitable for automation
 - Solution: users encrypt the secrets before uploading
 - Very easy to use, fully automatic and transparent

```
$ fedcloud secret put certificate cert=@hostcert.pem key=@hostkey.pem --encrypt-key my-secret-passphrase
```

```
$ fedcloud secret get certificate cert --decrypt-key my-secret-passphrase
```

- Security tips: use different passphrases for different secrets

NEW: Introduction of lockers

Motivations

- Authentication via access tokens from VMs is not optimal
 - Access tokens have too broad rights (to all secrets, to other services)
 - Should not be used on shared VMs or untrusted Cloud environments
- Lockers, the **temporary, isolated** storages for valuable items, are the solution
 - Create a locker, store valuable items there and deliver the key to recipients
 - No personal credential needed for retrieving valuable items
 - No access to other valuable items except the ones stored in lockers
 - Ideal for delivering secrets in untrusted environment like Cloud



Features of secret lockers

- Temporary, short-living:
 - Lifetimes: default **24h** (client setting), max **32 days** (system setting)
 - Numbers of uses: default **10** (client setting), max **unlimited** (system setting)
- Isolated, secure:
 - Lockers are completely isolated from each others, and from the main secret storages
 - The only way to access secrets in the lockers are locker tokens. Even creator or root do not have access by other means
- Non-personal:
 - Locker tokens cannot access other secrets outside of the lockers
 - No personal data stored in the locker token
- Transferable:
 - As lockers are isolated and non-personal, creators can share/transfer the lockers and its content to others if needed

Creating a locker

```
$ fedcloud secret locker create
```

```
hvs.CAESIGXXX
```

<= Print only the token, easy scripting

```
$ fedcloud secret locker create --ttl 24h --num-uses 10 --verbose
```

```
key
```

```
value
```

```
-----  
client_token
```

```
hvs.CAESIGXXX
```

<= This is the token

```
accessor
```

```
o3GXXXXXXXXXXXXXXXXX
```

```
policies
```

```
['default']
```

```
token_policies
```

```
['default']
```

```
lease_duration
```

```
86400
```

```
renewable
```

```
False
```

```
orphan
```

```
False
```

```
num_uses
```

```
10
```

Checking info of the locker

```
$ fedcloud secret locker check hvs.CAESIXXX
```

```
key value
-----
accessor qb52XXXXXX
creation_time 1685008416
creation_ttl 86400
display_name token-token
expire_time 2023-05-26T09:53:37.315243089Z
id hvs.CAESIGXXX
issue_time 2023-05-25T09:53:37.315281071Z
num_uses 8
orphan False
path auth/token/create
policies ['default']
renewable False
ttl 86114
type service
```

Accessing lockers

- Just set locker token instead of OIDC access token and use `fedcloud secret` commands `put/list/get` normally. No additional configuration needed:

```
$ fedcloud secret put mysecret password=123456 --locker-token hvs.CAESIXXX
```

- The locker token may be set as OS environment variable like access token

```
$ export FEDCLOUD_LOCKER_TOKEN=hvs.CAESIXXX
```

```
$ fedcloud secret get mysecret
```


```
key          value
-----
password     123456
```

- Note: OIDC accounts and access tokens are not needed for accessing lockers.

Accessing lockers via GUI

Users can login to Vault's GUI via locker token and manage secrets via GUI

Warning: the GUI exhausts number of uses very fast. Remember to set larger number of uses if experimenting with GUI



Destroying lockers

Lockers and all contents in them are **automatically** destroyed when their lifetimes or numbers of uses are expired (desired feature for security)

They can be also destroyed **manually** if needed by revoking the locker token:

```
$ fedcloud secret locker revoke hvs.CAESIXXX
```

Special: single-use lockers

Why single-use lockers

- Sometimes, users need to deliver secrets via **untrusted communications**
 - It is a big trouble if some secrets are stolen (passwords, tokens, ...)
 - It is still a **much bigger** trouble if secret owners **don't know** about that
 - Attacker may quietly abuse the secrets for long time and make much larger damages

=> Single-use lockers are the way to go

- Autodestruction after successful delivery
- Immediate detection of misbehavior if it happens

How to use single-use lockers

- Create a locker with `num-uses=2` (not 1)

```
$ fedcloud secret locker create --ttl 1h --num-uses 2  
hvs.CAESIXXX
```

- Store some secrets there. That will reduce `number of uses to 1` (single-use)

```
$ fedcloud secret put mysecret password=123456 --locker-token hvs.CAESIXXX
```

- Send the locker token to recipient via possibly untrusted communications:
 - If the recipient `can read` the secrets, it is `safely delivered`, nobody else has read them before (and nobody can read them later)
 - If the recipient `cannot read` the secrets, `it is a proof that secrets have been stolen`. Time to alarm admins, change passwords, revoke tokens, launch investigations and do other relevant actions

Summary about lockers

- Lockers simplify delivering secrets to untrusted VMs
 - No need of access tokens, no personal data
 - Enabling single-use secrets for detecting misbehavior
 - Enabling deliver secrets to VMs owned by others
- Very simple usage
 - Simplicity means robustness
 - Can be used as key-value storage for distributed systems (e.g. federated learning)
 - Compatible with existing commands (e.g. using client-side encrypted secrets in lockers)

More information

- Service URL:
 - <https://vault.services.fedcloud.eu:8200/>
 - <https://secrets.egi.eu/>

- Documentation:
 - <https://vault.docs.fedcloud.eu/>
 - <https://www.fedcloud.eu/>

Thank you for your attention
