

Storage & Data Transfer Service

dicos-support@twgrid.org

Academia Sinica Grid-computing Centre (ASGC)



Outline

- Storage space
- Working space
- Examples

Storage space

Storage space

Resources

- Home Space (100GB for free, not extendable)
[/dicos_ui_home/{user_account}](#)
- Group Working Space (3TB free /each group, pay for extension)
[/ceph/work/{group}](#)
- [cryoEM group]
[/activeEM/data/{group}/](#)
- Backup Space (will be available in the future)
- Please back up to secure your data in these spaces.

Storage space Resources

- Check your usage on <https://dicos.grid.sinica.edu.tw/profile/info>

The screenshot shows the DICOS User Profile page. The navigation bar includes links for Resources, Policy, About, Documentation, API, Apps, Contact, Live Chat, and Your account. The main content area is titled "User Profile" and displays the following information:

- Username: account_name
- Group: group_name
- First Name: your_first_name
- Last Name: your_last_name
- E-mail: your_email
- Last Login: time_joined
- Date Joined

A dropdown menu for "Your account" is open, showing options: User Profile, Usage Summary, Group Member List, Subscribe Storage Space, Resource Usage, and Logout.

Storage Usage information is shown in a table:

Storage Usage	Path	Latest Update
2.3GB/100GB	/dicos_ui_home/your_account	2023-11-14 00:50:02
0.4TB/4.0TB	/ceph/work/your_group	2023-11-14 00:30:03

At the bottom of the page, there are buttons for "Edit Profile" and "Change Password".

If /dicos_ui_home/ storage usage > 100 GB, user can't log in server.

Storage space

Introduction of Home Space

`/dicos_ui_home/{user_account}`

- 100 GB for free, not extendable.
- Backup your important data in Home Space.
- `/dicos_ui_home/` is a temporary space, backup your data in the `/ceph/work/{group}` or transfer to your own data storage.
- Home space will be cleared once your account is expired and deleted.
- Avoid using the home space as the job's working space.

Storage space

Introduction of Group Working Space

[/ceph/work/{group}](#)


- 3TB free space for each group.
- This space is shared among all members of the group.
- PI has full access and manage rights in this space.
- PI can subscribe & upgrade for more space via dicos.grid.sinica.edu.tw.
- Backup your important data in group working space.

Storage space

Subscribe to more Group Working Space

- PI can subscribe for upgrade storage space.

<https://dicos.grid.sinica.edu.tw/accounting/subscribe-storage>



DICOS Resources Policy About Documentation API Apps Contact Live Chat

訂閱儲存空間 Subscribe Storage Space

- 訂閱時，會需要等待一段空間創建的時間。
When subscribing, there will be a waiting period for the space to be created.
- 重複訂閱時，同樣的空間容量會累加。不同方案(plan: day/year)訂閱時空間大小會累加，但收費機制不同，plan: day 會於每個月的帳單內數；plan: year則會於訂閱當月帳單顯示並事先收費。
Multiple subscription can be additional size. Different plan (plan: day/year) are different paymentent. For the day plan, it will show on m year plan, the payment will charge on current month bill.
- 刪除訂閱後，plan: day 會在滿1天後刪除，例：2023-08-01建立的空間若當天取消訂閱，會在1天後2023-08-02刪除，若在2023-08-02取消訂閱則順延至2023-08-03刪除；plan: year 會在1年後刪除，例：2023-08-01建立的空間會在2024-08-01刪除，若超過2024-08-01取消則順延至2025-08-01。若訂閱的儲存空間裡在超過時間後還有檔案，皆等待至檔案清空或資料夾大小小於保留的空間大小才會進行刪除/重設，期間費用還是按照收費機制照計算。
After unsubscribe, for the day plan, it will be deleted the space after 1 day, for example, if the space was created on 2023-08-01 and unsubscribed on the same day, it will be deleted on 2023-08-02. If unsubscribed on 2023-08-02, it will be deleted on 2023-08-03; for the year plan, the space will be deleted after 1 year, for example, if the space was created on 2023-08-01, it will be deleted on 2024-08-01. If unsubscribed after 2024-08-01, the deletion will be postponed to 2025-08-01.
If there is still some files in the subscribed space, the deletion or reduce space will delay to execute and charge the paymentent of period.
- 請注意：刪除訂閱後，因系統機制，將無法馬上進行訂閱相同空間，請等待畫面上顯示正在刪除儲存空間的標記消失後，才能再進行訂閱。
Attention: the subscription will be unavailable after unsubscription process, please wait for the label of "Wait to Delete Storage Space..." finished.

- User Profile
- Usage Summary
- Group Member List
- Subscribe Storage Space
- Resource Usage
- Logout

1TB Storage: NT\$3/day or NT\$1000/year

More pricing information at <https://dicos.grid.sinica.edu.tw/resources>

Storage space

Subscribe to more Group Working Space

加購工作短期儲存空間
Upgrade Work Space

1T = NT \$3/1 day
PATH: /ceph/work/[group]/

1

T

Subscribe

加購工作短期儲存空間：1年方案
Upgrade Work Space：1 year plan

1T = NT \$1000/1 year
PATH: /ceph/work/[group]/

1

T

Subscribe

Current Storage Space

工作短期儲存空間 Work Space

GROUP: ASGC

PLAN: day

PATH: /ceph/work/ASGC/

CREATION TIME: 2023-09-13 09:01:03

Latest Update: 2025-12-30 00:30:01

13.8/23

1

T

Unsubscribe

工作短期儲存空間 Work Space

GROUP: ASGC

PLAN: year

PATH: /ceph/work/ASGC/

CREATION TIME: 2024-10-16 02:15:01

Latest Update: 2025-12-30 00:30:01

0.0/4

1

T

Unsubscribe

Storage space

Unsubscribe Space

- Clear your data and release your space before unsubscription.
- Unable to unsubscribe if the space is not released.
 - remove data until less or equal to target subscription.
- Unsubscription process will be blocked when space can not be released or cancel year plan.
- Contact info: dicos-support@twgrid.org



Working space

Working space

Working Space for Computing Space

- Group Working Space: `/ceph/work/{group}`



- If your job has high I/O wait output:

You can also use **/tmp on the worker node** as an intermediate job working space.


Copy intermediate data to `/ceph/work/{group}`.

Working space

Using /tmp on the worker node as Intermediate Working Space

- Each worker node has a different spec (e.g., SSD) & capacity.

Cluster	Local Disk
EDR1	2 TB
EDR2	2 TB
Intel-g4	2 TB




hpa-wn[05-24] EDR1	activeEM/	misc/
hpa-wn[25-34] EDR2	afs/	mnt/
hpi-wn[01-04] Intel-g4	bin/	net/
hp-teslaa[01,03] A100	boot/	opt/
hp-teslav[01-06] V100	ceph/	proc/
hp-rtx6kp[01,02] B6000	cvmfs/	root/
	data/	run/
	dev/	sbin/
	dicos_ui_home/	srv/
	etc/	sys/
	home/	tmp/
	lib/	usr/
	lib64/	var/
	media/	volumes/

Working space

Using /tmp on the worker node as Intermediate Working Space

- Copy intermediate data to /ceph/work/{group}.
- Remove files from /tmp on the worker node when tasks finish.
- /tmp directory on the worker node will be cleaned anytime.



Example

- Linux Basic Command
- Using /tmp on the worker node as Intermediate Working Space
- Data Transfer

Linux Basic Command

`ssh username@slurm-ui.twgrid.org`

Login

`ssh username@dicos-sftp.twgrid.org`

`pwd`

Show current path

`mv {src} {dest}`

Move file

`rm filename`

Remove file

`rm -r dirname`

Remove directory

`cat filename`

View file content

Using /tmp on the worker node as Intermediate Working Space

Commands : mkttemp

```
# Create the temporary file
[username@slurm-ui01 ~]$ mktemp
/tmp/1mjAhAH3YM

[username@slurm-ui01 ~]$ mktemp /tmp/user-XXXXX
/tmp/user-WxWtv

# Create the temporary directory
[username@slurm-ui01 ~]$ mktemp -d
/tmp/tmp.1mjAhAH3YM

[username@slurm-ui01 ~]$ mktemp -d /tmp/user-XXXXX
/tmp/user-WxWtv
```

Using /tmp on the worker node as Intermediate Working Space

Using mktmp in Slurm jobs

```
Job_TemporaryFile.sh

#!/bin/bash
#SBATCH --job-name=hello_world           # Job name
#SBATCH --partition=intel-g4-a19_short   # Partition name
#SBATCH --nodes=1                        # Numbers of nodes
#SBATCH --ntasks-per-node=1             # Number of tasks per node
#SBATCH --cpus-per-task=1               # Number of CPUs per task
#SBATCH --output=%j.out                 # Standard output file (%j: Job ID)
#SBATCH --error=%j.err                  # Standard error file (%j: Job ID)
#SBATCH --time=00-01:00:00              # Time limit
#SBATCH --mail-type=ALL                  # Email notifications = BEGIN, END, FAIL, ALL
#SBATCH --mail-user=jennifer.chen@twgrid.org # Email address to send notifications

# Create a temporary file with a unique name under /tmp/ directory
TMPFILE=$(mktmp /tmp/yiruchen0101-XXXXX)


# Get the filename (without the path) of the temporary file
filename=$(basename "$TMPFILE")

#your computing program
echo "Hello User" >> $TMPFILE
hostname >> $TMPFILE

# Copy the temporary file to the specified destination directory (/ceph/work/{Group}/{your directory})
cp $TMPFILE /ceph/work/ASGC/yiruchen0101/$filename
# Remove the temporary file from /tmp/ directory to clean up
rm $TMPFILE
```

Using /tmp on the worker node as Intermediate Working Space

Using mktmp in Slurm jobs



```
# Submit slurm job
[yiruchen0101@slurm-ui01 yiruchen0101]$ sbatch Job_TemporaryFile.sh
Submitted batch job 965001
[yiruchen0101@slurm-ui01 yiruchen0101]$ ls -l /ceph/work/ASGC/yiruchen0101/yiruchen0101-to7Sw
-rw-----+ 1 yiruchen0101 ASGC 31 Jan 14 16:48 yiruchen0101-to7Sw

[yiruchen0101@slurm-ui01 yiruchen0101]$ cat yiruchen0101-to7Sw
Hello User
hpi-wn01.twgrid.org
```

Using /tmp on the worker node as Intermediate Working Space

Using mktemp in Slurm jobs

```
Job_TemporaryDir.sh

#!/bin/bash
#SBATCH --job-name=hello_world           # Job name
#SBATCH --partition=intel-g4-al9_short    # Partition name
#SBATCH --nodes=1                        # Numbers of nodes
#SBATCH --ntasks-per-node=1              # Number of tasks per node
#SBATCH --cpus-per-task=1                 # Number of CPUs per task
#SBATCH --output=%j.out                   # Standard output file (%j: Job ID)
#SBATCH --error=%j.err                    # Standard error file (%j: Job ID)
#SBATCH --time=00-01:00:00                # Time limit
#SBATCH --mail-type=ALL                    # Email notifications = BEGIN, END, FAIL, ALL
#SBATCH --mail-user=jennifer.chen@twgrid.org # Email address to send notifications

# Create a temporary directory with a unique name under /tmp/ directory
TMPDIR=$(mktemp -d /tmp/yiruchen0101-XXXXX)

# Get the directory name (without the path) of the temporary directory
filename=$(basename "$TMPDIR")

#your computing program
echo "Hello User" >> $TMPDIR/TMPD.txt
hostname >> $TMPDIR/TMPD.txt

# Recursively copy the entire temporary directory to the specified destination directory (/ceph/work/{Group}/{your directory})
cp -r $TMPDIR /ceph/work/ASGC/yiruchen0101/$filename
# Remove the temporary directory and its contents from /tmp/ directory to clean up
rm -r $TMPDIR
```

Using /tmp on the worker node as Intermediate Working Space

Using mktmp in Slurm jobs

```
# Submit slurm job
[yiruchen0101@slurm-ui01 yiruchen0101]$ sbatch Job_TemporaryDir.sh
Submitted batch job 409355
[yiruchen0101@slurm-ui01 yiruchen0101]$ ls -l /ceph/work/ASGC/yiruchen0101/yiruchen0101-HeycZ
drwx-----+ 2 yiruchen0101 ASGC      1 Jan 14 17:32 yiruchen0101-HeycZ
[yiruchen0101@slurm-ui01 yiruchen0101]$ cat yiruchen0101-HeycZ/TMPD.txt
Hello User
hpi-wn01.twgrid.org
```

Data Transfer

- sftp
- scp
- FileZilla

Data Transfer

sftp

- Node for Data Transfer: `slurm-ui.twgrid.org` or `dicos-sftp.twgrid.org`

```
$ sftp username@slurm-ui.twgrid.org

(username@slurm-ui.twgrid.org) Password:
(username@slurm-ui.twgrid.org) Verification code:

Connected to slurm-ui.twgrid.org.

# Upload file

sftp> put filename
Uploading filename to /dicos_ui_home/username/

# Download file

sftp> get filename
Fetching filepath to filename
```

Data Transfer

scp

- Node for Data Transfer: `slurm-ui.twgrid.org` or `dicos-sftp.twgrid.org`

```
# Copy specific file
$ scp username@slurm-ui.twgrid.org:/ceph/work/0thers/mydata/this.file .

(username@slurm-ui.twgrid.org) Password:
(username@slurm-ui.twgrid.org) Verification code:



# Copy the whole directory within the path
$ scp -r username@slurm-ui.twgrid.org:/ceph/work/0thers/mydata .

(username@slurm-ui.twgrid.org) Password:
(username@slurm-ui.twgrid.org) Verification code:
```





Data Transfer

FileZilla



Data Transfer

FileZilla





Data Transfer

FileZilla

Enter password

Please enter a password for this server:

Name: New site
Host: slurm-ui.twgrid.org
User: <Your DiCOS account>

Challenge:

SSH server authentication
Please select the 2FA login method. 1. Mobile APP OTP (Google Authenticator)
2. Email OTP (This option has known security issues and may be deprecated in future updates.) 3. Already have a verification code or using an emergency code Choose your login method:

Password: ●

OK Cancel

Enter password

Please enter a password for this server:

Name: New site
Host: slurm-ui.twgrid.org
User: <Your DiCOS account>

Challenge:

SSH server authentication
Password:

Password: ●●●●●●●● <Your DiCOS password>

OK Cancel

Data Transfer

FileZilla



Enter password

Please enter a password for this server:

Name: New site

Host: slurm-ui.twgrid.org

User: <Your DiCOS account>

Challenge:

SSH server authentication

Verification code:

Password: **<6-digit code of one-time password>**

OK Cancel

Remote site: /dicos_ui_home/mandy4318

/? /

- dicos_ui_home
- mandy4318

Filename	Filesize	Filetype	Last modifi...	Permissi...	Owner/G...
..					
.cache		File fold...	2/11/2025 ...	drwx----	mandy4...
.bash_history	3	BASH_H...	2/18/2025 ...	-rw-----	mandy4...
.google_authent...	408	GOOGL...	3/12/2025 ...	-r-----	mandy4...
google_authent...	334	File	2/13/2025 ...	-r-----	mandy4...

3 files and 1 directory. Total size: 745 bytes

Thanks for listening

Q&A

dicos-support@twgrid.org

Academia Sinica Grid-computing Centre (ASGC)

