





Changes from ARC5 to ARC6

Florido Paganelli, Lund University

ISGC 2019, Academia Sinica in Taipei, Taiwan 31 March ~ 5 April 2019

Why?

- Needs for major release:
 - internal scalability issues
 - regain manageability

 (arc5 configuration had grown out of hand)



Why?

- Needs for major release:
 - interface consolidation
 - allow retirement of unused components



Goals

- Simplification
 - For users:
 deployment, reference documents
 - For developers:
 - code cleanup
 - "How to contribute" guide is coming
- Cloud-readiness:
 - Automatic configuration
 - Unattended deployment
- Improved control
 - Swiss-knife management tools





Focus on:

- Better Configuration
- Stability
- Performance
- Code Cleanup
- Consolidation
- New Features
- Experimental Features



Highlights





- Totally revised and rewritten configuration
- Old, unused code removed, reducing points of failure
 - Some (never used) submission and info interfaces
 removed
 - API changed but Client-Server backward compatibility preserved



- WallTime unit of measure changed: <Wallclock> * <num. of cores>






- New development cycle based on Gitlab, hoping it will help us improve external contributions
- Gitlab CI now provides build, deploy and test platform

Highlights cont'd









- Quick installation that can be done by configuration managers (ansible etc.)
- Administration tools like arcctl
- New simplified index ARCHERY
- Took almost 3 years of development, maybe also influenced by lower interest of funding agencies into GRID development.


Better Configuration



- Total revision of the configuration options
- Rewritten, streamlined Cloud Ready configuration: make it easier for tools like Ansible, Puppet etc to customize the options
- Configuration validation is automatically run at startup, informing about issues.
- New authorization and authentication configuration
 - gridmap-file now legacy and not recommended
- Proper JURA accounting section
- Some real time changes with arcctl
- Many other requested tweaks (maxcputime, maxwalltime...)

Stability





 Hunt for memory leaks, both in job handling and data staging

Better logs

 Messages try to point in the right direction





Performance



 Event-driven engine for better realtime handling of jobs.


Target: 100000 jobs managed by A-REX

Programmer (noun.)

A person who fixed a problem that you don't know you have, in a way you don't understand.

Code Cleanup

- Rewrite/Review of obscure code
- Removal of features that were never used. Retired components:
 - EGIIS, the Idap-based grid index
 - EMIR, a WS grid index
 - Windows port
 - JAVA Bindings



Consolidation



- Commonly used configuration schemes and services have been simplified and their internal workflow revised (relationships between a-rex, gridftp, accounting, infocollection, Irms submission)
- Unified defaults for all subsystems
- Obsoleted components that will be removed on the next release (ARC7 ?)
 - Glue 1 support

New Features



 arcctl command line tool to manage A-Rex



 Better RTE handling, default RTEs distributed with ARC (e.g. ENV/PROXY)

```
[root ~]# arcctl rte list
<output omitted>
APPS/HEP/ATLAS-20.8.0-X86 64-SLC6-GCC48-OPT (user, enabled)
APPS/HEP/ATLAS-20.8.1-X86 64-SLC6-GCC48-OPT (user, enabled)
APPS/HEP/ATLAS-20.8.2-X86 64-SLC6-GCC49-OPT (user, enabled)
<output omitted>
ENV/LRMS-SCRATCH
                                  (system, default)
ENV/PROXY
                                  (system, masked, disabled)
ENV/PROXY
                                  (user, enabled)
ENV/RTE
                                  (system, disabled)
                                  (user, enabled)
ENV/RUNTIME/ALIEN-2.17
VO-biomed-CVMFS
                                  (dummy, enabled)
```



Experimental Features



14

- INTERNAL plugin to allow minimal intrusive setup on a closed system.
 Very good for restrictive HPC's. (see talk about aCT!)
- Proof of concept of the REST interface
 - Usable but can be made better, may be in one of the minor releases.

Good to know:



- No automatic configuration conversion tool.

 ARC team offers help converting ARC5 configuration to ARC6 and gives support for configuration issues.
- Due to privacy regulations no user information should be published by ARC.
 - Therefore gridmap-file based authorization where user DNs where stored is **deprecated**.
 - ARC6 still supports it but gives more ways of expressing mapping and authorization rules.
 - Authorization can be fine tuned for each submission interface.

Good to know:




- ARC is trying to get away from gridftpd + Idap, so our default interface is https Web Services (WS) and supports the EMI-ES protocol. This is completely transparent when using ARC clients.
- WLCG decided that GLUE2 is the current official information system schema. Therefore ARC will by default publish GLUE2 information in the WS interface and no LDAP.
- As a consequence of the above, the classic WLCG configuration LDAP NorduGRID/Glue 1 + Gridftpd

MUST be configured manually by WLCG sites.

We are preparing dedicated documentation.

Questions



17

Picture references

- LibreOffice Gallery
- https://www.openclipart.org/
- https://xkcd.com/844/
- https://i.pinimg.com/736x/5b/eb/35/5beb35543f67789276dfad6d75805bab--computer-books-programming-humor.jpg
- http://www.xkcd.com
- https://www.quora.com/What-are-the-best-programmer-jokes-you-want-to-share
- https://shareitsfunny.com
- http://wheeltowheel.blogspot.com/2016/09/sept-9-heavy-load.html
- https://orig00.deviantart.net/42db/f/2010/024/d/4/galaga_by_keredlo.png
- https://www.recyclart.org/2016/01/beautiful-way-reusing-old-wood-logs-ceramics-stools/

References

 ARC6 presentation @ Umeå, Sweden, 2018

http://indico.lucas.lu.se/event/1020/material/slides/9.pptx



19